

# SAFETY DATA SHEET

COCOON (BULK)(A)

Page 1

Issued: 14/07/06

Revision No: 3

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** COCOON (BULK)(A)

**Company name:** Oakwell Ltd

Hastings Road

Leyland

Lancs

PR25 3SP

Tel: 01772 453836

Fax: 01772 516201

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** NAPHTHA (PETROLEUM), HYDROTREATED LIGHT; LOW BOILING POINT HYDROGEN  
50-70%

CAS: 64742-49-0

[F] R11; [Xn] R65; [Xi] R38; [N] R51/53; [-] R67

- XYLENE 1-10%

EINECS: 215-535-7 CAS: 1330-20-7

[-] R10; [Xn] R20/21; [Xi] R38

- MINERAL OIL 1-10%

CAS: 64742-52-5

- OLEYL HYDROXYETHYL IMIDAZOLINE 1-10%

[Xn] R22; [C] R34; [N] R50/53

- N-OLEOYL SARCOSINE 1-10%

[Xi] R36/38; [N] R50/53

## 3. HAZARDS IDENTIFICATION

**Main hazards:** Highly flammable. Irritating to skin. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

**Other hazards:** In use, may form flammable / explosive vapour-air mixture.

## 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Nausea and stomach pain may occur. There may be vomiting and diarrhoea. There may be loss of consciousness. Convulsions may occur.

**Inhalation:** Exposure may cause coughing or wheezing. There may be congestion of the lungs causing severe shortness of breath. There may be loss of consciousness. Convulsions may occur.

[cont...]

**SAFETY DATA SHEET**

COCOON (BULK)(A)

**4. FIRST AID MEASURES (ACTION)**

- Skin contact:** Wash with soap and water. Seek medical advice if irritation develops.
- Eye contact:** Rinse with water for 10 minutes and seek medical advice if irritation persists.
- Ingestion:** Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

**5. FIRE-FIGHTING MEASURES**

- Extinguishing media:** Carbon dioxide. Alcohol resistant foam.
- Exposure hazards:** Highly flammable. Vapour may travel considerable distance to source of ignition and flash back. Forms explosive air-vapour mixture.
- Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions:** Eliminate all sources of ignition. Mark out the contaminated area with signs and prevent access to unauthorised personnel.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using sufficient appropriate absorbent material.
- Clean-up procedures:** Mix with sand or vermiculite. Scrub contaminated surfaces with detergent solution. Retain washings as contaminated waste and transfer to sealed, labelled container for safe disposal.

**7. HANDLING AND STORAGE**

- Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Smoking is forbidden.
- Storage conditions:** Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Ensure lighting and electrical equipment are not a source of ignition.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

- Hazardous ingredients:** NAPHTHA (PETROLEUM), HYDROTREATED LIGHT; LOW BOILING POINT HYDROGEN
- WEL (8 hr exposure limit): 1000 mg/m<sup>3</sup>
- XYLENE  
WEL (8 hr exposure limit): 220 mg/m<sup>3</sup> WEL (15 min exposure limit): 441 mg/m<sup>3</sup> (Sk)
  - MINERAL OIL  
WEL (8 hr exposure limit): 5mg/m<sup>3</sup> (oil mist)

**SAFETY DATA SHEET**

COCOON (BULK)(A)

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required.

**Hand protection:** Protective gloves. (Sk) noted above means can be absorbed through skin.

**Eye protection:** Safety goggles.

**Skin protection:** Protective overalls.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** Blue

**Odour:** Paraffinic

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Insoluble

**Viscosity:** Viscous

**Flammability limits %: lower:** 0.8

**upper:** 9.0

**Flash point°C:** -18

**Relative density:** 0.75

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Hot surfaces. Sources of ignition. Flames.

**Materials to avoid:** Oxidising agents.

**11. TOXICOLOGICAL INFORMATION**

**Hazardous ingredients:** XYLENE

ORL MUS LD50 2119 mg/kg

ORL RAT LD50 4300 mg/kg

SCU RAT LD50 1700 mg/kg

**Routes of exposure:** Exposure to high levels of vapour may cause drowsiness, dizziness, nausea, headaches, vomiting. Prolonged contact with skin may cause irritation leading to dermatitis in extreme cases.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Floats on water.

**Other adverse effects:** Toxic to aquatic organisms.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Contact Unicorn Chemicals Ltd to arrange disposal.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**SAFETY DATA SHEET**

COCOON (BULK)(A)

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** 1993 **ADR Class:** 3  
**Packing group:** II **Classification code:** F1  
**Shipping name:** FLAMMABLE LIQUID, N.O.S. (NAPHTHA (PETROLEUM), HYDROTREATED LIGHT; LOW BOILING POINT HYDROGEN)  
**Labelling:** 3 **Hazard ID no:** 33

**IMDG / IMO**

**UN no:** 1993 **Class:** 3  
**Packing group:** II **EmS:** F-E,S-E\*  
**Marine pollutant:** . **Labelling:** 3

**IATA / ICAO**

**UN no:** 1993 **Class:** 3  
**Packing group:** II **Packing instructions:** 305(P&CA); 307(CAO)  
**Labelling:** 3

**15. REGULATORY INFORMATION**

**Hazard symbols:** Highly flammable.  
 Irritant.  
 Dangerous for the environment.



**Risk phrases:** R11: Highly flammable.  
 R38: Irritating to skin.  
 R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R67: Vapours may cause drowsiness and dizziness.

**Safety phrases:** S2: Keep out of the reach of children.  
 S16: Keep away from sources of ignition - No smoking.  
 S23: Do not breathe vapour/spray.  
 S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

## SAFETY DATA SHEET

COCOON (BULK)(A)

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. OTHER INFORMATION

**Other information:** Always use in accordance with manufacturer's directions.

This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.

**Risk phrases used in s.2:** R11: Highly flammable.

R65: Harmful: may cause lung damage if swallowed.

R38: Irritating to skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

R10: Flammable.

R20/21: Harmful by inhalation and in contact with skin.

R22: Harmful if swallowed.

R34: Causes burns.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R36/38: Irritating to eyes and skin.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.