



SAFETY DATA SHEET

OVENCLENE

Page 1

Issued: 01/03/06

Revision No: 4

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: OVENCLENE

Use / description of product: Heavy duty oven cleaner

Company name: Unicorn Chemicals Ltd

Unicorn House

Mowbray Drive

Blackpool

Lancashire

FY3 7UN

Tel: 01253 396101

Fax: 01253 302895

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SODIUM HYDROXIDE 1-10%
EINECS: 215-185-5 CAS: 1310-73-2
[C] R35

Contains: Aqueous blend of surfactants, bactericide, dye and fragrance.

3. HAZARDS IDENTIFICATION

Main hazards: Causes severe burns.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns may occur.

Eye contact: There may be irritation and redness. The eyes may water profusely. Corneal burns may occur.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. Exposure may cause coughing or wheezing. There may be congestion of the lungs causing severe shortness of breath. There may be loss of consciousness.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

[cont...]

SAFETY DATA SHEET

OVENCLENE

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

Exposure hazards: Corrosive. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using sufficient appropriate absorbent material.

Clean-up procedures: Transfer to a suitable container. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Wear appropriate protective clothing when handling this product.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: SODIUM HYDROXIDE
WEL (8 hr exposure limit): - WEL (15 min exposure limit): 2 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required.

Hand protection: Protective gloves.

Eye protection: Safety goggles. Face-shield. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. PVC apron covering the tops of the boots. Ensure safety shower is to hand.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Colourless

Odour: Odourless

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

SAFETY DATA SHEET

OVENCLENE

Viscosity: Viscous**Relative density:** 1.08**pH:** 14**10. STABILITY AND REACTIVITY****Stability:** Stable under normal conditions.**Materials to avoid:** Strong acids. Chlorinated hydrocarbons. Aluminium. Zinc. Lead Tin. Prolonged contact with metals can produce hydrogen gas.**11. TOXICOLOGICAL INFORMATION****Hazardous ingredients:** SODIUM HYDROXIDE
IPR MUS LD50 40 mg/kg
ORL RBT LDLO 500 mg/kg**Routes of exposure:** Causes severe burns to eyes and skin. If ingested causes severe internal irritation and damage.**12. ECOLOGICAL INFORMATION****Mobility:** Soluble in water.**Persistence and degradability:** Sodium hydroxide degrades readily by reaction with the natural carbon dioxide in air.**Bioaccumulative potential:** No bioaccumulation potential.**Other adverse effects:** Should not be discharged directly in concentrated form to water courses. A rise in the pH of water to 10.5 or above may be fatal to fish and other aquatic organisms. Can cause damage to aquatic plants. Can cause damage to vegetation.**13. DISPOSAL CONSIDERATIONS****Disposal operations:** Contact Unicorn Chemicals Ltd to arrange disposal.**Disposal of packaging:** Clean carefully with water. Neutralise washings with dilute hydrochloric acid and/or flush to drain with large amounts of water. Retain for recovery.**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**14. TRANSPORT INFORMATION****ADR / RID****UN no:** 1760**ADR Class:** 8**Packing group:** III**Classification code:** C9**Shipping name:** CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)**Labelling:** 8**Hazard ID no:** 80

SAFETY DATA SHEET

OVENCLENE

IMDG / IMO

UN no: 1760	Class: 8
Packing group: III	EmS: F-A,S-B
Marine pollutant: .	Labelling: 8

IATA / ICAO

UN no: 1760	Class: 8
Packing group: III	Packing instructions: 818(P&CA); 820(CAO)
Labelling: 8	

15. REGULATORY INFORMATION**Hazard symbols:** Corrosive.**Risk phrases:** R35: Causes severe burns.**Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Other information:** This product belongs to Hazard Groups C and S under the HSE COSHH Essentials guidelines (Publication HSG193).

Always use in accordance with manufacturer's directions.

This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.

Risk phrases used in s.2: R35: Causes severe burns.**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.