



SAFETY DATA SHEET

TRUNKER

Page 1

Issued: 27/02/06

Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: TRUNKER

Use / description of product: Traffic film remover with wax.

Company name: Unicorn Chemicals Ltd

Unicorn House

Mowbray Drive

Blackpool

Lancashire

FY3 7UN

Tel: 01253 396101

Fax: 01253 302895

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: ALKYLPHENOL ETHOXYLATE 1-10%

[Xi] R36/38

• TALLOW AMINE ETHOXY AMMONIUM METHYL SULPHATE 1-10%

[Xi] R36/38

• SODIUM HYDROXIDE 1-10%

EINECS: 215-185-5 CAS: 1310-73-2

[C] R35

• TRISODIUM NITRILOTRIACETATE 1-10%

CAS: 5064-31-3

[Xn] R22; [Xi] R41

• SODIUM METASILICATE 1-10%

EINECS: 229-912-9 CAS: 6834-92-0

[C] R34; [Xi] R37

• BENZYL QUATERNARY AMMONIUM COMPOUND OF ALKYL AMINE ETHOXYLATE <1%

[Xi] R38; [Xi] R41

Contains: 30-50% Citric Acid.

3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes and skin.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur. There may be vomiting. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

[cont...]

SAFETY DATA SHEET

TRUNKER

Inhalation: Inhalation of high concentrations of spray mist may result in irritation of nose, throat and upper respiratory tract.

4. FIRST AID MEASURES (ACTION)

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical advice if irritation develops.
- Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
- Ingestion:** Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

- Extinguishing media:** The product is non-combustible; appropriate extinguishing media for surrounding area should be used in fire situations.
- Exposure hazards:** In combustion emits toxic fumes.
- Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using sufficient appropriate absorbent material.
- Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

- Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. If using in a pressure washer, avoid breathing in spray mist.
- Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Hazardous ingredients:** SODIUM HYDROXIDE
WEL (8 hr exposure limit): - WEL (15 min exposure limit): 2 mg/m³

SAFETY DATA SHEET

TRUNKER

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required.

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Pale straw

Odour: Soapy

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Relative density: 1.075

pH: 14

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Materials to avoid: Strong acids. Strong oxidising agents.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: SODIUM HYDROXIDE
IPR MUS LD50 40 mg/kg
ORL RBT LDLO 500 mg/kg

Routes of exposure: May cause irritation of skin, eyes, nose and upper respiratory tract.

12. ECOLOGICAL INFORMATION

Mobility: Soluble in water.

Other adverse effects: Should not be discharged directly in concentrated form to water courses.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Contact Unicorn Chemicals Ltd to arrange disposal.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

Shipping name: NOT CLASSIFIED FOR TRANSPORT

SAFETY DATA SHEET

TRUNKER

IMDG / IMO**IATA / ICAO****15. REGULATORY INFORMATION****Hazard symbols:** Irritant.**Risk phrases:** R36/38: Irritating to eyes and skin.**Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Other information:** This product belongs to Hazard Groups A and S under the HSE COSHH Essentials guidelines. (Publication HSG193).

Always use in accordance with manufacturer's directions.

This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.

Risk phrases used in s.2: R36/38: Irritating to eyes and skin.

R35: Causes severe burns.

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

R34: Causes burns.

R37: Irritating to respiratory system.

R38: Irritating to skin.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.